



**POPULAR O-RING  
ASSORTMENT KIT**

**BOX 1**

[www.apairinc.com](http://www.apairinc.com)

1-800-806-5312

**COMPRESSOR MANIFOLD O-RINGS**


**441-111**  
Denso 10S  
Discharge Ports




**441-1405**  
Denso 10S  
Suction Ports



**441-181**  
Denso 10P Series  
Manifold Ports  
Aluminum Fitting



**440-116**  
Denso 10P Series  
Manifold Ports  
Steel Fitting




**441-220**  
Ford FS6 Tangent 2 Port  
Compressor Discharge &  
Suction Ports




**441-221**  
Mercedes 10PA Discharge  
& Suction Ports - Tabbed



**441-207**  
Ford FX15, FS10  
Compressors Discharge



**441-222**  
GM Oval Cut Discharge  
& Suction Ports



**440-035**  
GM A6 & R4 Discharge  
& Suction Ports



**STANDARD HOSE O-RINGS**

**440-011**  
#6 Hose O-Ring



**440-013**  
#8 Hose O-Ring



**FORD P-NUT HOSE O-RINGS**

**441-233**  
#6 P-Nut Hose O-Ring



**441-091**  
#8 P-Nut Hose O-Ring



**GM CAPTIVE O-RINGS**

**440-0116**  
#6 Captive Hose O-Ring



**440-0138**  
#8 Captive Hose O-Ring



**GM DUAL CAPTIVE O-RINGS**


**440-0137**  
#8 Dual Captive Hose  
O-Ring



**441-227**  
#10 Dual Captive Hose  
O-Ring



**440-01716**  
#12 Dual Captive Hose  
O-Ring



**440-015**  
#10 Hose O-Ring



**440-017**  
#12 Hose O-Ring



**441-234**  
#10 P-Nut Hose O-Ring



**440-01714**  
#12 P-Nut Hose O-Ring



**440-01510**  
#10 Captive Hose O-Ring



**440-01712**  
#12 Captive Hose O-Ring



**PAD MOUNT DRIER O-RINGS**

**441-031**  
6mm I.D O-Ring



**441-050**  
6.6mm I.D O-Ring



**441-051**  
6.75mm I.D O-Ring



**SPRING LOCK O-RINGS**

**440-0134**  
#6 Spring Lock O-Ring



**440-0135**  
#8 Spring Lock O-Ring



**440-0155**  
#10 Spring Lock O-Ring



**440-01713**  
#12 Spring Lock O-Ring



**SWITCH PORTS**

**441-061**  
M10 - 1.25 Female  
M11 - 1.50 Male



**441-226**  
M10 High Pressure  
Relief Valve




**440-012**  
7/16" - 20 Female  
3/8" - 24 Female



**441-071**  
3/8" - 24 Male  
M12 - 1.50 Female



**441-209**  
GM Compressor Port Switch

















**LINE O-RINGS  
CAPS & VALVE CORES**













**BOX 2**













[www.apairinc.com](http://www.apairinc.com)

1-800-806-5312

\*Only O-Rings are actual size

<b>441-010</b> Capillary Tube O-Ring 	<b>441-001</b> 5mm Capillary Tube O-Ring 	<b>441-238</b> 7mm Standard O-Ring 	<b>441-241</b> 8.5mm Standard O-Ring 	<b>441-242</b> 9mm Standard O-Ring 	<b>441-243</b> 9mm Captive O-Ring 	<b>441-101</b> 10mm Captive O-Ring 	<b>441-246</b> 10.5mm Standard O-Ring 	<b>441-121</b> 10.5mm Captive O-Ring 	<b>441-131</b> 11mm Standard O-Ring 	<b>441-252</b> 11.5mm Captive O-Ring 	<b>441-263</b> 12mm Captive O-Ring 
--	---	---	---	---	--	---	--	---	--	---	---

<b>441-262</b> 13mm Captive O-Ring 	<b>441-261</b> 13.5mm Standard O-Ring 	<b>441-264</b> 13.5mm Captive O-Ring 	<b>441-142</b> 14mm Captive O-Ring 	<b>441-267</b> 15mm Standard O-Ring 	<b>441-273</b> 15.5mm Captive O-Ring 	<b>441-151</b> 15.5mm Standard O-Ring 	<b>441-274</b> 16.5mm Standard O-Ring 	<b>441-280</b> 17mm Captive O-Ring 	<b>441-213</b> 23mm Desiccant Cap Hyundai/Kia 	<b>441-219</b> 33mm Desiccant Cap, Audi/VW 	<b>441-286</b> 33mm Desiccant Cap Mercedes Benz 
--	--	---	---	--	--	--	--	---	--	--	--

<b>441-171</b> 36mm Desiccant Cap  Honda/Toyota/Mazda	<b>461-6014</b> R1234YF High Side Charge Port with Caps 	<b>530-1322</b> Valve Core, JRA Honda/Kia 	<b>530-1242</b> Valve Core, Standard R12, R134 	<b>530-1326</b> Valve Core, M8 Low Side 	<b>530-1327</b> Valve Core, M10 High Side 	<b>530-1220</b> Valve Core, Large Bore - Volvo 	<b>530-1219</b> Valve Core, Large Bore - Audi, VW, Mercedes 	<b>530-1321</b> Valve Core, Large Bore JRA Style 	<b>530-1224</b> Valve Core, GM Large Bore 	<b>461-6010</b> High Side Fitting M12-1.5 Cap M8-1.0 	<b>461-6011</b> Low Side Fitting M10-1.25 Cap M8-1.0 
---	---	---	--	--	---	--	---	--	---	--	--

<b>F2609</b> High Side R134 Service Port M15-1.0 Cap M10-1.25 	<b>F2607</b> Low Side R134 Service Port M13-1.0 Cap M8-1.25 	<b>530-1012</b> 13mm Blue Low Side R134a Service Cap, Standard Flow Charge 	<b>530-1013</b> 16mm Red High Side R134a Service Cap, Standard Flow Charge 	<b>530-1014</b> 13mm Blue Low Side R134a Service Cap, High Flow Charge 	<b>530-1015</b> 16mm Red High Side R134a Service Cap, Standard Flow Charge 	<b>530-1016</b> 13mm R134A Low Side Black Long Service Cap 	<b>530-1017</b> 16mm R134a High Side Black Long Service Cap 	<b>530-1018</b> R134 Blue Low Side Cap, Aeroquip M8-1.0 	<b>530-1019</b> R134 Red Low Side Cap, Aeroquip M10-1.25 	<b>530-1007</b> 9mm Denso Blue Low Side R134 Cap 	<b>530-1008</b> 10mm Denso Blue High Side R134 Cap 
---	--	---	---	---	---	--	---	---	--	---	---












**SEALING WASHER  
& METAL GASKETS**

**BOX 3**










[www.apairinc.com](http://www.apairinc.com)


1-800-806-5312

*\*Only Sealing Washers are actual size unless otherwise noted.*

<p><b>440-8070</b> 7.92mm I.D.</p> 	<p><b>440-8071</b> 8.10mm I.D.</p> 	<p><b>440-8040</b> #6 Sealing Washer 8.15mm I.D.</p> 	<p><b>440-8072</b> 9.52mm I.D.</p> 	<p><b>440-8073</b> 11.10mm I.D.</p> 	<p><b>440-8074</b> 11.18mm I.D.</p> 	<p><b>440-8041</b> #8 Sealing Washer 11.23mm I.D.</p> 	<p><b>440-8075</b> 13.31mm I.D.</p> 	<p><b>440-8042</b> #10 Sealing Washer 14.22mm I.D.</p> 
---	--	--	---	---	---	---	---	--

<p><b>440-8076</b> 14.91mm I.D.</p> 	<p><b>440-8077</b> 14.99mm I.D.</p> 	<p><b>440-8044</b> 15.37mm I.D.</p> 	<p><b>440-815</b> 15.50mm I.D.</p> 	<p><b>440-8078</b> 15.50mm I.D. 5/8" GM Thin</p> 	<p><b>440-8080</b> 17.07mm I.D.</p> 	<p><b>440-8081</b> 17.15mm I.D.</p> 	<p><b>440-8082</b> 17.15mm I.D.</p> 	<p><b>440-8043</b> #12 Sealing Washer 17mm I.D.</p> 
--	---	---	---	--	---	---	---	---

<p><b>440-8043</b> 17.27mm I.D.</p> 	<p><b>440-8084</b> 17.50mm I.D. 3/4" GM Thin</p> 	<p><b>440-8085</b> 17.53mm I.D.</p> 	<p><b>440-8086</b> 17.91mm I.D.</p> 	<p><b>440-8087</b> 19.55mm I.D.</p> 	<p><b>44-309</b> Ford Sealing Washer MSF Kit</p> <p><b>440-8088</b> 8mm I.D.</p> <p><b>440-8089</b> 1/2" I.D.</p> <p><b>440-8090</b> 5/8" I.D.</p> 	<p><b>440-8091</b> 8mm I.D.</p> <p><b>440-8092</b> 15mm I.D.</p> 	<p><b>440-8093</b> 1/2" I.D.</p> <p><b>440-8094</b> 5/8" I.D.</p> 	<p><b>440-880</b> Chrysler Expansion Valve Gasket Kit</p>  <p><i>Not to Size</i></p>
--	---	---	--	---	---	---	--	--

<p><b>440-889</b> Chrysler Discharge Ports 15.11mm I.D.</p>  <p><i>Not to Size</i></p>	<p><b>440-894</b> Chrysler Suction Ports 17.93mm I.D.</p>  <p><i>Not to Size</i></p>	<p><b>440-895</b> Ford Discharge Ports 15.07mm I.D.</p>  <p><i>Not to Size</i></p>	<p><b>440-896</b> Ford Suction Ports 18.04mm I.D.</p>  <p><i>Not to Size</i></p>	<p><b>440-885</b> Chrysler Receiver Drier</p>  <p><i>Not to Size</i></p>	<p><b>440-884</b> Chrysler Suction Fitting 13.59mm I.D. O-Ring</p>  <p><i>Not to Size</i></p>	<p><b>440-893</b> Chrysler Discharge Fitting 11.51mm I.D. O-Ring</p>  <p><i>Not to Size</i></p>	<p><b>440-883</b> Chrysler Suction Fitting 14.30mm I.D. O-Ring</p>  <p><i>Not to Size</i></p>	<p><b>440-888</b> Chrysler Accum. Fitting 16mm I.D. O-Ring</p>  <p><i>Not to Size</i></p>
--	---	---	--	---	--	--	--	--



**ORIFICE TUBES &  
IN-LINE FILTERS**

**BOX 4**

[www.apairinc.com](http://www.apairinc.com)

1-800-806-5312

**905-910**

Evaporator Mtg  
Blue (0.067")

GM:  
12323173  
DELCO:  
15-5296  
Ford:  
F5XZ-19D990-AB  
MOTORCRAFT:  
YG-250, YG322  
YG345  
CHRYSLER:  
36002432  
4773013  
MAZDA:  
ZZM1-67-179B



**905-925**

Evaporator Mtg  
Red (0.062")

FORD:  
F5UZ-19D990-AB  
MOTORCRAFT:  
YG-346, YG-321  
YG-303  
MAZDA:  
ZZM0-61-179B



**905-920**

Evaporator Mtg  
Orange (0.057")

CHRYSLER:  
4883839AA  
FORD:  
F6DZ-19D990-AB  
MOTORCRAFT:  
YG-343, YG323  
YG-298



**905-932**

Evaporator Mtg  
Black (0.072")

FORD:  
XC4Z-19D990-AA  
MOTORCRAFT:  
YG-380



**905-900**

Evaporator Mtg  
White (0.072")

GM:  
3033879  
DELCO:  
15-5151  
AUDI/VW:  
443-271-191A



**905-905**

Condenser Mtg  
Black/White (0.072")

GM:  
3096068  
DELCO:  
15-5378



**905-901**

Condenser/Liquid Line Mtg  
Yellow (0.062")

GM:  
15097129  
52477004  
DELCO:  
15-5612



**905-965**

Evaporator Mtg  
Gray (0.062")

GM:  
10411717  
DELCO:  
15-31053



**905-960**

Evaporator Mtg  
Dark Grey (0.072")

GM:  
15784601  
DELCO:  
15-33410



**905-969**

In-Line Filter  
Condenser Liquid Outlet  
Black (27.5mm Length)

FORD:  
1L2Z-19E771-AA  
MOTORCRAFT:  
YF-2706



**905-970**

FORD:  
F58Z-19E771-A



**905-967**

In-Line Filter  
Liquid Inlet, Rear Unit  
Block Exp. Valve  
Light Blue (28mm Length)

GM:  
15951308  
DELCO:  
15-10712



**905-972**


In-Line Filter  
Rear Unit Exp. Valve at  
Liquid Line  
Light Blue (60mm Length)



**905-971**

In-Line Filter  
Condenser Liquid Outlet  
Black (60mm Length)

GM:  
25687579  
DELCO:  
15-8947



**905-968**

In-Line Filter  
Condenser Liquid Outlet  
Light Blue (80mm Length)

GM:  
10356437  
DELCO:  
15-75159



**905-975**

In-Line Filter  
Condenser Liquid Outlet  
Green (80mm Length)

GM:  
21999762  
DELCO:  
15-33197



**905-973**

In-Line Filter  
Condenser Liquid Outlet  
Black (60mm Length)

GM:  
89022560  
DELCO:  
15-75209



**905-966**

In-Line Filter  
Condenser Liquid Outlet  
Purple (28mm Length)

GM:  
25914263  
DELCO:  
15-33883



**905-974**

In-Line Filter  
Condenser Liquid Outlet  
Grey/Black (80mm Length)

GM:  
52494593  
DELCO:  
15-75210

